





503 **NEW**

Power: 2.5W 195lm IP: 54
 Battery Voltage: 3.7V 2*2200mA Li-ion
 Charge time: 3H (2A Charger adapter)
 (Charger adapter included,
 Max.Current of Charger adapter should be ≤ 2A)
 Type of adapter:T-C
 When the signal light is RED,it is charging,and when the signal
 light is GREEN,means finish the charging.
 It usually takes 5 hours to charge
 Adjustable CCT
 Touch 1 = 3000K
 Touch 2 = 4000K
 Touch 3 = 6000K
 Touchdimmer
 Range 1 = 30% of light - 20H
 Touch 2 = 50% of light - 12H
 Touch 3 = 70% of light - 8H
 Touch 4 = 100% of light - 6H
 *Memory function for color temperature and brightness
 *Separate switch



502 **NEW**

Power: 2.5W 162lm IP: 54
 Battery Voltage: 3.7V 2*2200mA Li-ion
 Charge time: 3H (2A Charger adapter)
 (Charger adapter included,
 Max.Current of Charger adapter should be ≤ 2A)
 Type of adapter:T-C
 When the signal light is RED,it is charging,and when the signal
 light is GREEN,means finish the charging.
 It usually takes 5 hours to charge
 Adjustable CCT
 Touch 1 = 3000K
 Touch 2 = 4000K
 Touch 3 = 6000K
 Touchdimmer
 Range 1 = 30% of light - 20H
 Touch 2 = 50% of light - 12H
 Touch 3 = 70% of light - 8H
 Touch 4 = 100% of light - 6H
 *Memory function for color temperature and brightness
 *Separate switch






501




Power: 2.5W 177lm IP: 54
 Battery Voltage: 3.7V 2*2200mA Li-ion
 Charge time: 3H (2A Charger adapter)
 (Charger adapter included,
 Max.Current of Charger adapter should be ≤ 2A)
 Type of adapter:T-C
 When the signal light is RED,it is charging,and when the signal
 light is GREEN,means finish the charging.
 It usually takes 5 hours to charge
 Adjustable CCT
 Touch 1 = 3000K
 Touch 2 = 4000K
 Touch 3 = 6000K
 Touchdimmer
 Range 1 = 30% of light - 20H
 Touch 2 = 50% of light - 12H
 Touch 3 = 70% of light - 8H
 Touch 4 = 100% of light - 6H
 *Memory function for color temperature and brightness
 *Separate switch



23703—L





Lamp:LED 2*10W (3CCT)
 Holistic lumen rating:1084
 CRI:>80
 Die Cast Aluminum
 Voltage:220V-240V 50/60Hz
 Class: I
 TA: -30℃ +50℃
 Color:Silver Grey/Dark Grey/Black/White





2095—W





Lamp: LED 6W COB 3000K
 Holistic lumen rating: 530
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



8017—6





Lamp: LED 6*1W COB 3000K
 Holistic lumen rating: 582
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






8017-4B


Lamp: LED 4*1W COB 3000K
 Holistic lumen rating: 413
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







8017-4A

Lamp: LED 4*1W COB 3000K
 Holistic lumen rating: 446
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White










8016 NEW
 Lamp: LED 6W COB 3000K
 Holistic lumen rating: 470
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




7011 NEW
 Lamp: LED 15W 2835 (3CCT)
 Holistic lumen rating: 775
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







8007 NEW
 Lamp: LED 2*5W (3CCT)
 Holistic lumen rating: 460
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



8007-A NEW
 Lamp: LED 2*5W (3CCT)
 Holistic lumen rating: 410
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White








8007-B NEW
 Lamp: LED 2*5W (3CCT)
 Holistic lumen rating: 425
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









2020-2

Lamp: LED 10W 3000K
 Holistic lumen rating: 522
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



2020-1

Lamp: LED 10W 3000K
 Holistic lumen rating: 297
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





NEW

808—2

Lamp: LED 2*5W COB (3CCT)

Holistic lumen rating: 750

CRI: > 80





Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



NEW

808—1

Lamp: LED 5W COB (3CCT)

Holistic lumen rating: 504

CRI: > 80





Die Cast Aluminum


Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C






Color: Silver Grey/Dark Grey/Black/White









6002—6


Lamp: LED 6*1W COB 3000K
 Holistic lumen rating: 569
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



6002—4





Lamp: LED 4*1W COB 3000K
 Holistic lumen rating: 312
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









6002—8


Lamp: LED 8*1W COB 3000K
 Holistic lumen rating: 762
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



203

Lamp: LED 10W COB 3000K
 Holistic lumen rating: 440v
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






728-W NEW
 Lamp: LED 12W COB (3CCT)
 Holistic lumen rating: 510
 CRI: > 80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



6005
 Lamp: LED 10W 2835 (3CCT) or E27
 Holistic lumen rating: 480
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



**8009-2**

Lamp: LED 10W COB (3CCT)

Holistic lumen rating: 457

CRI: >80





Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White

**8010-2**

Lamp: LED 20W COB (3CCT)

Holistic lumen rating: 1084

CRI: >80





Die Cast Aluminum

Voltage: 220V-240V 50/60Hz

Class: I

TA: -30°C +50°C





Color: Silver Grey/Dark Grey/Black/White





8011

Lamp: LED 4*1W COB 3000K
 Holistic lumen rating: 382
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White








8021-2A





Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White




8021-B



Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White






8019-A

Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



8019-B


Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White






2085

Lamp: LED 6W COB 3000K
 Holistic lumen rating: 380
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




26222

Lamp: LED 2X5W COB (3CCT)
 Holistic lumen rating: 540
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C ~+50°C
 Color: Silver Grey/Dark Grey/Black/White




26220

Lamp: LED 5w COB (3CCT)
 Holistic lumen rating: 320
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C ~+50°C
 Color: Silver Grey/Dark Grey/Black/White





NEW



Size





Item NO	Length	Width	Height
8012	500mm	58mm	90mm
8012-A	1000mm	58mm	90mm
8012-B	1500mm	58mm	90mm

Technical Data





Watt	Lamp	Lumen	Beam Angle	CRI	TA	Input	Certificate
20W	2835	719	60°	>80	-30℃~+50℃	220-240V~50Hz	CE/SAA/RoHS
35W	2835	1260	60°	>80	-30℃~+50℃	220-240V~50Hz	CE/SAA/RoHS
50W	2835	1800	60°	>80	-30℃~+50℃	220-240V~50Hz	CE/SAA/RoHS




2087 NEW
 Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 570
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




5020
 Lamp: LED 9W COB (3CCT)
 Holistic lumen rating: 610
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





796





Lamp: GU10 40W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White







7014/W

NEW

Lamp: LED 12W 2835 (3CCT)
Holistic lumen rating: 640
CRI: > 80
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White









821—W

Lamp: LED 12W 2835 (3CCT)
 Holistic lumen rating: 907
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



6001



Lamp: LED 12W 2835 (3CCT)
 Holistic lumen rating: 1017
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






2613

Lamp: E27 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




2763

Lamp: E27 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C



2763-L

Lamp: E27 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





823—W

Lamp: LED 20W COB (3CCT)
Holistic lumen rating: 1150

CRI: >80


Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



8081—W

Lamp: E27



Die Cast Aluminum

Voltage: 220V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



5006

Lamp: LED 2*5W COB (3CCT)

Holistic lumen rating: 630

CRI: >80

Die Cast Aluminum


Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C





Color: Silver Grey/Dark Grey/Black/White










8028

Lamp:LED 12W 2835 3000K
 Holistic lumen rating:493
 CRI:>80
 Die Cast Aluminum
 Voltage:220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color:Silver Grey/Dark Grey/Black/White



2086


Lamp:LED 6W COB 3000K
 Holistic lumen rating:410
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color:Silver Grey/Dark Grey/Black/White




Rotate:360°




26211/A
 Lamp: LED 2 x 5W 2835 (3CCT)
 Holistic lumen rating:510
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White




25787
 Lamp: LED 9W COB 3000K
 Holistic lumen rating:520
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White



26211/B
 Lamp: LED 2 x 5W 2835 (3CCT)
 Holistic lumen rating:510
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White





26313

Lamp: LED 2 x 3W COB (3CCT)

Holistic lumen rating:410

CRI:>80





Die Cast Aluminum

Voltage:100V-240V 50/60Hz

Class:I

Color:Silver Grey/Dark Grey/Black/White

☐ ☐ ☐ ☐



27116

Lamp: LED 2 x 3W COB (3CCT)

Holistic lumen rating:420

CRI:>80





Die Cast Aluminum

Voltage:100V-240V 50/60Hz

Class:I

Color:Silver Grey/Dark Grey/Black/White



☐ ☐ ☐ ☐






25792

Lamp: LED 6W COB (3CCT)
 Holistic lumen rating:370
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White



26267


Lamp: LED 2 x 2W COB 3000K
 Holistic lumen rating:90
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White






1508

Lamp: LED 6W C0B (3CCT)
 Holistic lumen rating: 359
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




1632

Lamp: LED 6W(C0B) (3CCT)
 Holistic lumen rating: 380
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




6025

NEW
 Lamp: LED 2*3W(C0B) 3000K
 Holistic lumen rating: 348
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



6025-C





NEW
 Lamp: LED 2*3W(C0B) 3000K
 Holistic lumen rating: 327
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







2090

Lamp: LED 2*3W COB (3CCT)
 Holistic lumen rating: 412
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





2009-1

Lamp: LED 2*3W COB (3CCT)
 Holistic lumen rating: 149
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



2009-2


Lamp: LED 3W COB (3CCT)
 Holistic lumen rating: 255
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






791/1W

Lamp: GU10 40W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



791/2W

Lamp: 2*GU10 40W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White





7002

Lamp: LED 10W SMD2835 (3CCT)

Holistic lumen rating:670





CRI:>80

Die Cast Aluminum

Voltage:100V-240V 50/60Hz

Class:I

Color:Silver Grey/Dark Grey/Black/White



7001

Lamp: LED 10W SMD2835 (3CCT)

Holistic lumen rating:670





CRI:>80


Die Cast Aluminum

Voltage:100V-240V 50/60Hz

Class:I

Color:Silver Grey/Dark Grey/Black/White





7002—40

Lamp: LED 30w 2835 **(3CCT)**

Holistic lumen rating:2650

CRI:> 80




Die Cast Aluminum

Voltage:100V-240V 50/60Hz

Class: I

TA:-30℃~+50℃

Color:Silver Grey/Dark Grey/Black/White



7002—30



Lamp:LED 20W 2835 **(3CCT)**

Holistic lumen rating:1650

CRI:> 80





Die Cast Aluminum

Voltage:220V-240V 50/60Hz

Class: I

TA: -30℃ +50℃

Color:Silver Grey/Dark Grey/Black/White



7002—60

Lamp: LED 42w 2835 **(3CCT)**

Holistic lumen rating:3350

CRI:> 80





Die Cast Aluminum


Voltage:100V-240V 50/60Hz

Class: I

TA:-30℃~+50℃

Color:Silver Grey/Dark Grey/Black/White





7002-90

Lamp: LED 50W 2835 (3CCT)

Holistic lumen rating: 4880

CRI: > 80




Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



7002-120

Lamp: LED 70W 2835 (3CCT)

Holistic lumen rating: 6240

CRI: > 80




Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C





Color: Silver Grey/Dark Grey/Black/White









5223

Lamp: LED 6W 2835 **(3CCT)**
 Holistic lumen rating: 420
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







6150

Lamp: LED 6W (COB) 3000K
 Holistic lumen rating: 340
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







5225





Lamp: LED 6W 2835 **(3CCT)**
 Holistic lumen rating: 420
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



6160

Lamp: LED 6W (COB) 3000K
 Holistic lumen rating: 340
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





NEW

8026 – A





Lamp: LED 9W (COB) **(3CCT)**
 Holistic lumen rating: 191
 CRI: > 80
 Die Cast Aluminum
 Voltage: 110V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




NEW

9016 – W

Lamp: LED 12W 2835 **(3CCT)**
 Holistic lumen rating: 852
 CRI: > 80
 Die Cast Aluminum
 Voltage: 110V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






NEW

8025


Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White







NEW

8025M

Lamp: E27
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White









798H



Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 330
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



798D


Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 330
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







2164/H

Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White





2164

Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



2164/W

Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White







2152/H

Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White





2152/1W

Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



2152/2W

Lamp: 2*E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White





6026—S

Lamp: LED 20w 2835 (3CCT)

Holistic lumen rating:1650

CRI:> 80





Die Cast Aluminum


Voltage:100V-240V 50/60Hz

Class: I

TA:-30℃~+50℃


Color:Silver Grey/Dark Grey/Black/White






151

Lamp: LED 10W C0B 3000K
 Holistic lumen rating: 690
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




151-B


Lamp: LED 15W C0B 3000K
 Holistic lumen rating: 1103
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



151-L

Lamp: LED 20W C0B 3000K
 Holistic lumen rating: 1402
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





2015 NEW

Lamp: LED 5W 3000K
 Holistic lumen rating: 370
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White

☐ ☐ ☐ ☐

IP54





NEW


7005-C

Lamp: LED 8W 3000K
 Holistic lumen rating: 460
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White

☐ ☐ ☐ ☐


IP54





2007


Lamp: LED 15W COB (3CCT)
 Holistic lumen rating: 970
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



2007-A




Lamp: LED 15W COB (3CCT)
 Holistic lumen rating: 920
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




2006-A



Lamp: LED 6W COB (3CCT)
 Holistic lumen rating: 430
 CRI: >80
 Die Cast Aluminum
 Voltage: 1000V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









2003





Lamp: LED 9W COB(3CCT)
 Holistic lumen rating: 630
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







2763-C



Lamp: E27
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









2003-4

Lamp: LED 8W 3000K
 Holistic lumen rating: 450
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







2006


Lamp: LED 6W COB (3CCT)
 Holistic lumen rating: 360
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 Color: Silver Grey/Dark Grey/Black/White



2002





Lamp: LED 3W COB (3CCT)
 Holistic lumen rating: 230
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 Color: Silver Grey/Dark Grey/Black/White









022

Lamp:LED 3W 3000K
Holistic lumen rating:87
CRI:>80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White







162

Lamp:LED 3W 3000K
Holistic lumen rating:60
CRI:>80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White



161



Lamp:LED 3W 3000K
Holistic lumen rating:38
CRI:>80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White






801

Lamp: LED 3W 2835 3000K
 Holistic lumen rating: 98
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



802


Lamp: LED 3W 2835 3000K
 Holistic lumen rating: 102
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






137

Lamp: LED 3W COB 3000K
 Holistic lumen rating: 85
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




128

Lamp: LED 3W 3000K
 Holistic lumen rating: 95
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




125

LED 3W 2835 3000K
 Holistic lumen rating: 95
 Die Cast Aluminum
 Voltage: 100-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



129





Lamp: LED 3W COB 3000K
 Holistic lumen rating: 75
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









141

Lamp: LED 3w COB 3000K
 Holistic lumen rating:32
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White



142





Lamp: LED 3w COB 3000K
 Holistic lumen rating:55
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White









038

Lamp: LED 3w 2835 3000K
 Holistic lumen rating:220
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White







034

Lamp: LED 5w 2835 3000K
 Holistic lumen rating:370
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White



135


Lamp: LED 3W 3000K
 Holistic lumen rating:81
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White






144

Lamp: LED 3w COB 3000K
 Holistic lumen rating: 65
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C ~ +50°C
 Color: Silver Grey/Dark Grey/Black/White




122

Lamp: LED 3w 2835 3000K
 Holistic lumen rating: 55
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C ~ +50°C
 Color: Silver Grey/Dark Grey/Black/White



121


Lamp: LED 3w 2835 3000K
 Holistic lumen rating: 85
 CRI: > 80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C ~ +50°C
 Color: Silver Grey/Dark Grey/Black/White







033

Lamp: LED 3w 2835 3000K
 Holistic lumen rating:75
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White




035


Lamp: LED 5w 2835 3000K
 Holistic lumen rating:105
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃~+50℃
 Color:Silver Grey/Dark Grey/Black/White



803

Lamp:LED 3W COB 3000K
 Holistic lumen rating:72
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA: -30℃ +50℃
 Color:Silver Grey/Dark Grey/Black/White






201




Lamp: LED 3W 3000K
 Holistic lumen rating: 220
 CRI: >80
 Die Cast Aluminum
 Voltage: DC24V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



202







Lamp: LED 3W 3000K
 Holistic lumen rating: 220
 CRI: >80
 Die Cast Aluminum
 Voltage: DC24V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White










8022 NEW
 Lamp: LED 5W COB 3000K
 Holistic lumen rating: 462
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




9014 NEW
 Lamp: LED 15W COB 3000K
 Holistic lumen rating: 666
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






715

Lamp: GU10
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



715-W





Lamp: GU10
Die Cast Aluminum
Voltage: 220-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White









714/BS

Lamp: LED 5w COB 3000K
 Holistic lumen rating:370
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃ ~+50℃
 Color:Silver Grey/Dark Grey/Black/White



714/BS



Lamp: LED 9w COB 3000K
 Holistic lumen rating:630
 CRI:> 80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class: I
 TA:-30℃ ~+50℃
 Color:Silver Grey/Dark Grey/Black/White



8081—C







Lamp:E27
 Die Cast Aluminum
 Voltage:220V-240V 50/60Hz
 Class: I
 TA: -30℃ +50℃
 Color:Silver Grey/Dark Grey/Black/White









714/W

Lamp: LED 5w COB 3000K
Holistic lumen rating:370
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White







714/W

Lamp: LED 9w COB 3000K
Holistic lumen rating:630
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White







714/S

Lamp: LED 5w COB 3000K
Holistic lumen rating:370
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White



714/S


Lamp: LED 9w COB 3000K
Holistic lumen rating:630
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White






718/W

Lamp: LED 6w COB 3000K
Holistic lumen rating:420
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White




718/BS

Lamp: LED 6w COB 3000K
Holistic lumen rating:420
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White




718/2B

Lamp: LED 2*6w COB 3000K
Holistic lumen rating: 880
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White



718/B


Lamp: LED 6w COB 3000K
Holistic lumen rating:420
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White






7005

Lamp: LED 8W COB 3000K
 Holistic lumen rating: 460
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




719/2W

Lamp: GU10 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




719/2S

Lamp: 2*GU10 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







406/A
 Lamp: LED 10W COB 3000K
 Holistic lumen rating:700
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White



406/B
 Lamp: LED 20W COB 3000K
 Holistic lumen rating:1500
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White








406/C
 Lamp: LED 30W COB 3000K
 Holistic lumen rating:2800
 CRI:>80
 Die Cast Aluminum
 Voltage:100V-240V 50/60Hz
 Class:I
 Color:Silver Grey/Dark Grey/Black/White





791/1S
Lamp: GU10
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
Color: Silver Grey/Dark Grey/Black/White



Technical Data



Item NO	Die Cast	Color	Lamp Holder	IP	TA	Input	Certificate
25660	Aluminum	Silver Grey/Dark Grey Black/White	GU10	54	-30℃~+50℃	100V-240V 50/60Hz	CE/SAA/RoHS
25660/2S	Aluminum	Silver Grey/Dark Grey Black/White	GU10	54	-30℃~+50℃	100V-240V 50/60Hz	CE/SAA/RoHS
25660/2B	Aluminum	Silver Grey/Dark Grey Black/White	GU10	54	-30℃~+50℃	100V-240V 50/60Hz	CE/SAA/RoHS
25660/2BS	Aluminum	Silver Grey/Dark Grey Black/White	GU10	54	-30℃~+50℃	100V-240V 50/60Hz	CE/SAA/RoHS



-  **NEW**
-  WIFI Connected
-  Bluetooth control
-  Dimmable and Color Adjustable
-  Scene Settings
-  Configurable Timer Switch
-  Groups Controlled Together
-  Family Sharing




Dimmable and RGBW Changing



Scene Settings



Dimmable and CCT Adjustable: RGBW changing
 Wireless Router Transmission Range: 45 meters
 Wifi standard: IEEE802.11b/g/n; 2.4GHz
 Wifi security: WPA-PSK/WPA2-PSK
 Bluetooth control
 App: Free download on App Store & Google Play
 Material: aluminium / PC
 Voltage: 100-240V/50-60Hz
 Led Color Option: RGBW (3000K / 4000K / 5000K)
 Finish Option: Dark Grey / Silver / White / Black
 Working Temp.: -20℃~40℃




Model	LED Watt	Luminous Flux	Beam Angle	Ra	SDCM	More Info
6552	72xSMD / 12W	500 lm(3000K)	324°	>80	<5	IP54  





6552

Lamp: LED12w 2835 3000K
Holistic lumen rating:570
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White




6552/S


Lamp: LED12w 2835 3000K
Holistic lumen rating:570
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White



6552

Lamp: LED 12w 2835 3000K
Holistic lumen rating:570
CRI:> 80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA:-30℃~+50℃
Color:Silver Grey/Dark Grey/Black/White







NEW

9017


Lamp: LED 10W COB 3000K
 Holistic lumen rating: 653
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




NEW

725—600

Lamp: GU10
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







NEW

2763-1B


Lamp: E27
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White




NEW

2763-2B





Lamp: E27
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White










821-2B


Lamp: LED 2*10W 2835 3000K
 Holistic lumen rating: 1696
 CRI: >80
 Die Cast Aluminum
 Voltage: 220V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



821-1B

Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 881
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White









NEW

7014





Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 640
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White







NEW

5020/B

Lamp: LED 9W COB 3000K
 Holistic lumen rating: 610
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





2087/B

Lamp: LED 12W 2835 3000K

Holistic lumen rating: 570

CRI: >80

Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



2035

Lamp: E27 60W



Die Cast Aluminum

Voltage: 100V-240V 50/60Hz

Class: I

TA: -30°C +50°C





Color: Silver Grey/Dark Grey/Black/White









798F

Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 340
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



728


Lamp: LED 12W 2835 3000K
 Holistic lumen rating: 470
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White






2764S—Ø65

Lamp:E27
Die Cast Aluminum
Voltage:220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White




2764L—Ø80

Lamp:E27
Die Cast Aluminum
Voltage:220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White





791/1

Lamp:GU10 40W
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White




791/2

Lamp:2*GU10 40W
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color:Silver Grey/Dark Grey/Black/White






792
Lamp: LED 9W COB 3000K
Holistic lumen rating:450
CRI:>80
Die Cast Aluminum
Voltage:100V-240V 50/60Hz
Class:I
Color:Silver Grey/Dark Grey/Black/White




Technical Data




Item NO	Die cast	Color	Lamp Lumen	IP	Size	Certificate
767/30W	Aluminum	Silver Grey/Dark Grey Black/white	2570	54	90xH1M	CE/SAA/RoHS
767/50W	Aluminum	Silver Grey/Dark Grey Black/white	4310	54	90xH1.5M	CE/SAA/RoHS
767/100W	Aluminum	Silver Grey/Dark Grey Black/white	7850	54	90xH2M	CE/SAA/RoHS



714-2B NEW
 Lamp: LED 9W(COB) 3000K
 Holistic lumen rating: 1150
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



9012 NEW
 Lamp: LED 10W(COB) 3000K
 Holistic lumen rating: 220
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White





NEW

822—800

Lamp: LED 20W 2835 3000K/E27

Holistic lumen rating: 1593

CRI: >80



Die Cast Aluminum

Voltage: 220V-240V 50/60Hz

Class: I

TA: -30°C +50°C

Color: Silver Grey/Dark Grey/Black/White



NEW

822—BS

Lamp: LED 20W 2835 3000K/E27

Holistic lumen rating: 1593

CRI: >80

Die Cast Aluminum


Voltage: 220V-240V 50/60Hz

Class: I

TA: -30°C +50°C



Color: Silver Grey/Dark Grey/Black/White







8081—800

Lamp: E27
CRI: >80
Die Cast Aluminum
Voltage: 220V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White



2164/B




Lamp: E27 60W
Die Cast Aluminum
Voltage: 100V-240V 50/60Hz
Class: I
TA: -30°C +50°C
Color: Silver Grey/Dark Grey/Black/White





2614

Lamp: E27 40W
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White



9016 – 600

Lamp: LED 12W SMD2835 3000K
 Holistic lumen rating: 8521
 CRI: >80
 Die Cast Aluminum
 Voltage: 100V-240V 50/60Hz
 Class: I
 TA: -30°C +50°C
 Color: Silver Grey/Dark Grey/Black/White

