

# DIY fast combined modular decorative lighting system

LED Modern Light


606 SERIES

# MODULAR

## innovation design

### Thread system

A variety of accessories with freedom, can assemble a variety of shapes, a variety of power lamps.



#### Thread design

9606 series using the Thread installation, according to their needs assembled in different shapes and power lamps.





#### Aluminum lamp body

9606 series made of high-quality aluminum, fashionable and luxurious appearance.

#### Modular design

9606 Series is a modular design that enables sellers to reduce large inventories.





DIY fast combined modular decorative lighting system

# Available color



Brushed copper





Brushed Nickel



Sandy Black



Sandy White



# LIGHT MODULES

606 Module A 3



3W

606 Module A 6



6W

606 Module AR 3



3W

606 Module AR 6



6W

606 Module B 8



8W

606 Module C 5



5W

606 Module Line C 5



5W

606 Module D 12



12W

606 Module DR 12



12W

606 Module E 15



15W

606 Module E 30



30W

606 Module F 5



5W

# LIGHT MODULES

606 Module Line F 8



8W

606 Module G 5



5W

606 Module Line G 5



8W

# PART 1


## Model: 606A


### Types of conducting tracks

UP-electric conduction



DOWN-electric conduction








installation exploded view

606A square



606 Module A 3



606 Module A 6



606 Module D 12



606 Module Line F 8



606 Module E 15







installation exploded view

606A square



606 Module Line C 5







installation exploded view


606A R 3IN1



606 Module Line C 5








installation exploded view

606A Rectangle



606 Module B 8




606 Module D 12








installation exploded view






installation exploded view

606 Line Base A800

606 Pipe A800

606A Track A2000

606 Module A 3



606 Module C 5

606 Module E 15










## installation exploded view

606 Ring Base A1



606A Ring Track 600



606 Module F 5





## installation exploded view

606 Ring Base A1



+

606A Ring Track 600



+


606 Module Line G 5





## installation exploded view

606 Ring Base A1



+

606A Ring Track 800



+

606 Module C5





## installation exploded view

606 Ring Base A2



606A Ring Track 800



+

+

606A Ring Track 600



+

606 Module Line G 5





installation exploded view

606 Ring Base B1



606A Ring Track 1000



606 Module Line F 5







## installation exploded view

606 Line Base B1000

606A Track A2000

606 Pipe B800

606 Pipe C1000

606 connector C

606 Module A6



+



+



+



+



+



+

Module



## installation exploded view

606 Ware Base A



+

606 Ware B



+

606A Track A2000



+

606 Power on connector A



+

606 Module A 6





+



Module









606 Module A 3





<b>Power</b>	3W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	210 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module A 6




<b>Power</b>	6W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	420 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module AR 3





<b>Power</b>	3W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	210 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module AR 6




<b>Power</b>	6W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	420 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module B 8




<b>Power</b>	8W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	560 lm
CRI	>80
Material	Aluminum+Glass
Color	Brushed copper / Brushed Nickel / Snady White / Snady Black
Life	30 000 H
Warranty	3 Years

606 Module C 5




<b>Power</b>	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	250 lm
CRI	>80
Material	Aluminum+Glass
Color	Brushed copper / Brushed Nickel / Snady White / Snady Black
Life	30 000 H
Warranty	3 Years

606 Module Line C 5




<b>Power</b>	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	250 lm
CRI	>80
Material	Aluminum+Glass
Color	Brushed copper / Brushed Nickel / Snady White / Snady Black
Life	30 000 H
Warranty	3 Years

606 Module D 12




<b>Power</b>	12W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	720 lm
CRI	>80
Material	Aluminum+Glass
Color	Brushed copper / Brushed Nickel / Snady White / Snady Black
Life	30 000 H
Warranty	3 Years

606 Module DR 12




<b>Power</b>	12W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	720 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module E 15





<b>Power</b>	15W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	650 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module E 30




<b>Power</b>	30W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	1500 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module F 5




<b>Power</b>	5W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	350 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module Line F 5




<b>Power</b>	5W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	350 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module G 5





<b>Power</b>	5W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	200 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Module Line G 5




<b>Power</b>	5W
<b>CCT</b>	3000K ● 4000K ● 6500K ○
<b>Voltage</b>	DC 24V
<b>Output Lumens</b>	200 lm
<b>CRI</b>	>80
<b>Material</b>	Aluminum+Glass
<b>Color</b>	Brushed copper / Brushed Nickel / Snady White / Snady Black
<b>Life</b>	30 000 H
<b>Warranty</b>	3 Years

606 Line Base A400




Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Pipe A400




Power Max. 60W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Pipe B400



Power Max. 60W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


606 Line Base A800



Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


## Product information

606 Pipe A800




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Pipe B800




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Line Base C600




Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Pipe C600




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Line Base B1000




Power Max. 60W/100W  
 Material Aluminum  
 Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Pipe C1000




Material Aluminum  
 Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 Power on connector A





Material Aluminum  
 Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 connector B




Material Aluminum  
 Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606 connector C




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track A1000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track A1500





Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track A2000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track B1000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track B1500




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606A Track B2000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black



606A Track C1000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


# Product information

## 606A Track C1500




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606A Track C2000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606 Ware Base A



Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black




## 606 Ware B



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


# Product information

## 606 Ring Base A1




Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606 Ring Base A2




Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606 Ring Base B1



Power Max. 60W/100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


## 606A Ring Track 400



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


# Product information

## 606A Ring Track 600




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606A Ring Track 800





Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606A Ring Track 1000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

### 606A Rectangle



Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE L2000\*W800\*H730

### 606A square



Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE L2000\*W2000\*H670

### 606A R 3IN1



Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE D600+D800+D1000\*H1500

### 606A R 2IN1




Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE D600+D800\*H1500

# PART 2

## Model: 606B

### Types of conducting tracks

UP-electric conduction



DOWN-light source





## installation exploded view

606 Line Base C600



+

606B Track A1500



+

606B Track C1500



+

606 connector C



+

606 Pipe C600



+

606 Pipe B400










### Component description








## installation exploded view

606 Ring Base A1



606B Ring Track 800



606 Module B 8









installation exploded view


606B L 2000



606 Module G 5

+







## installation exploded view

606 Line Base A800



+

606B Track A2000



+



606 Pipe A800



+


606 Module B 8






# Product information

## 606B Track A1000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606B Track A1500




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606B Track A2000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


## 606B Track B1000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black


# Product information

## 606B Track B1500




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606B Track B2000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606B Track C1000





Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

## 606B Track C1500




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B Track C2000




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B Ring Track 400




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B Ring Track 600




Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B Ring Track 800



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B Ring Track 1000



Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black

606B L 1500



Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE L1500\*W60\*H800

606B L 2000



Power Max. 100W/150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE L2000\*W60\*H800

606B Wall 2x1000



Power Max. 60W  
Material Aluminum  
Color Brushed copper / Brushed Nickel / Snady White / Snady Black  
SIZE L2\*1000\*W60\*H200

606B Wall 3x1000



Power Max. 60W  
Material Aluminum  
Color Brushed copper / Brushed Nickel  
/ Snady White / Snady Black  
SIZE L2\*1000\*W60\*H200

606B Wall 4x1000



Power Max. 100W  
Material Aluminum  
Color Brushed copper / Brushed Nickel  
/ Snady White / Snady Black  
SIZE L2\*1000\*W60\*H200

606B Wall 5x1000



Power Max. 150W  
Material Aluminum  
Color Brushed copper / Brushed Nickel  
/ Snady White / Snady Black  
SIZE L2\*1000\*W60\*H200

---