




Magnetic Modular Decorative Lighting System

Safe low pressure
Free creative installation
Quick and easy replacement
A variety of lamps to choose from

MODULAR innovation design

Magnet system

A variety of accessories with freedom,
can assemble a variety of shapes,
a variety of power lamps.



Magnet design

9028 series using the magnet installation,
according to their needs assembled in different
shapes and power lamps.

Aluminum lamp body

902 series made of high-quality aluminum,
fashionable and luxurious appearance.

Modular design


902 Series is a modular design that enables sellers
to reduce large inventories.





MAGNETIC DECORATIVE
ACCESSORIES






MAGNETIC DECORATIVE

ACCESSORIES





LIGHT MODULES

902 Module A 5



5W
CRI>90

902 Module B 5



5W
CRI>90

902 Module C 5



5W
CRI>90

902 Module D 5



5W
CRI>90

902 Module E 5



5W
CRI>90

902 Module F 5



5W
CRI>90
Anti-glare

902 Module G 5



5W
CRI>90

902 Module H 5



5W
CRI>90

902 Module I 10



10W
CRI>90

902 Module J 5



5W
CRI>90

902 Module K 8



8W
CRI>90

902 Module L 15



15W
CRI>90

902 Module M 15



15W
CRI>90

902 Module N 15



15W
CRI>90

902 TUBE 38



38W
CRI>90

902 Module O 6 S



6W
CRI>90

902 Module O 6 L



6W
CRI>90

DALI 902 Module F 5



5W
CRI>90
Anti-glare

DALI 902 Module L 15



15W
CRI>90

902 cable module A



5W
CRI>90

902 cable module A -2



5W
CRI>90

902 cable module B



5W
CRI>90

902 cable module B-2



5W
CRI>90

902 cable module C




5W
CRI>90


902 cable module C-2




5W
CRI>90


LIGHT MODULES

| | | | | |
|---|---|---|--|---|
| <p>902 cable module D 4.5</p>  <p>4.5W CRI>90</p> | <p>902 cable module D 7.5</p>  <p>7.5W CRI>90</p> | <p>902 cable module E 4.5</p>  <p>4.5W CRI>90</p> | <p>902 cable module E 7.5</p>  <p>7.5W CRI>90</p> | <p>902 cable module E 15</p>  <p>15W CRI>90</p> |
| <p>902 cable module F</p>  <p>15W/M CRI>90 Custom</p> | <p>902 cable module G</p>  <p>5W CRI>90</p> | <p>902 cable module H</p>  <p>5W CRI>90</p> | <p>902 cable module I</p>  <p>5W CRI>90</p> | <p>902 cable module J</p>  <p>5W CRI>90</p> |
| <p>902 cable module L</p>  <p>UP: 1.5W+ DOWN: 4.5W CRI>90</p> | <p>902 cable module P</p>  <p>5W CRI>90</p> | <p>902 cable module Q</p>  <p>15W CRI>90</p> | | |
















| 902 series










| 902 series


















902 Cube

902 Module D 5



902 cube base 1500x1500




902 cube pipe A 700




902 cube pipe B 300




902 cube pipe A 300




Installation exploded view



(A) 902 Module D 5 Magnetic quick installation




(B) 902 cube pipe B 300 Upper mounting method




(C) 902 cube pipe A and 9028 cube pipe B 300 Lower installation method




(D) Bottom cover rubber plug installation









902 Line

902 line base 2000






902 Module D 5
















902 Rectangle

902 Module F 5



902 Module L 15




902 Rectangle





DALI options available

Free design



DALI 902 Module F 5




DALI 902 Module L 15




DALI

Thanks to the advancement of technology, we have opened up the development and research of intelligent lighting systems. The application of luminaires has reached a new level of technology. This smart dimming app can be easily opened or Turning off the lighting fixtures and adjusting the brightness and CCT and other intelligent features greatly facilitates the application of lighting requirements.




Installation diagram

Input:
AC100-220V



Single light single control



DALI SWITCH





902 Ring

902 Module B 5



MD902 R 600






Installation exploded view











902 Ring

902 Module H 5



MD902 R 3 IN 1








902 Square

902 Module G 5




MD902 S 800





Installation exploded view









902 L

902 Module A 5



902 Module B 5



902 Module C 5




MD902 L 1200













Installation exploded view













902 TUBE 38

Adjustable rotate and move











902 Module J 5



902 Desk Base



902 Floor Base







902 Chandilier

902 Module J 5





902 chandelier



Installation exploded view









MD902B-8





MD902B-6




MD902 B-4

902 Module A 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+PC |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |




LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 109.8° | | | |
| 1.5 | 9 | 29 | 427 |
| 2 | 5 | 16 | 569 |
| 4 | 1.2 | 4 | 1137 |
| 4.5 | 1 | 3 | 1280 |
| 6 | 0.6 | 2 | 1706 |


4W 176lm Ra:91

902 Module B 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 600 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 27.2° | | | |
| 1.5 | 364 | 519 | 73 |
| 2 | 205 | 292 | 97 |
| 4 | 51 | 73 | 194 |
| 4.5 | 40 | 58 | 218 |
| 6 | 23 | 32 | 290 |

7W 534lm Ra:97



LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 39° | | | |
| 1.5 | 237 | 359 | 106 |
| 2 | 134 | 202 | 141 |
| 4 | 33 | 50 | 283 |
| 4.5 | 26 | 40 | 318 |
| 6 | 15 | 22 | 424 |


7W 500lm Ra:96

902 Module C 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |



LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 106.7° | | | |
| 1.5 | 8 | 24 | 403 |
| 2 | 4 | 13 | 538 |
| 4 | 1 | 3.3 | 1075 |
| 4.5 | 0.9 | 2.6 | 1210 |
| 6 | 0.5 | 1.5 | 1613 |


4W 178lm Ra:96

902 Module D 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+PMMA |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |




LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 101° | | | |
| 1.5 | 7 | 18 | 364 |
| 2 | 4 | 10 | 485 |
| 4 | 1 | 2.5 | 971 |
| 4.5 | 0.8 | 2 | 1092 |
| 6 | 0.4 | 1.1 | 1456 |


5W 165lm Ra:95

902 Module E 5




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 600 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |




LED 3000K
CODE:AA8888888



LED 3000K
CODE:AA8888888




902 Module F 5




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 600 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

LED 3000K
CODE:AA8888888




902 Module G 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 106.7° | | | |
| 1.5 | 8 | 24 | 403 |
| 2 | 4 | 13 | 538 |
| 4 | 1 | 3.3 | 1075 |
| 4.5 | 0.9 | 2.6 | 1210 |
| 6 | 0.5 | 1.5 | 1613 |


4W 178lm Ra:96

902 Module H 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 500 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |




LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 106.7° | | | |
| 1.5 | 8 | 24 | 403 |
| 2 | 4 | 13 | 538 |
| 4 | 1 | 3.3 | 1075 |
| 4.5 | 0.9 | 2.6 | 1210 |
| 6 | 0.5 | 1.5 | 1613 |


4W 178lm Ra:96

902 Module I 10



| | |
|----------------------|-------------------------|
| Power | 10W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 700 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 112.5° | | | |
| 1.5 | 30 | 101 | 449 |
| 2 | 17 | 57 | 599 |
| 4 | 4 | 14 | 1198 |
| 4.5 | 3 | 11 | 1347 |
| 6 | 2 | 6 | 1797 |


14W 656lm Ra:79

902 Module J 5



| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 106.7° | | | |
| 1.5 | 8 | 24 | 403 |
| 2 | 4 | 13 | 538 |
| 4 | 1 | 3.3 | 1075 |
| 4.5 | 0.9 | 2.6 | 1210 |
| 6 | 0.5 | 1.5 | 1613 |


4W 178lm Ra:96

902 Module K 8



| | |
|----------------------|-------------------------|
| Power | 8W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 400 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |



LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 94.9° | | | |
| 1.5 | 7 | 19 | 327 |
| 2 | 4 | 11 | 436 |
| 4 | 1 | 3 | 872 |
| 4.5 | 0.8 | 2 | 981 |
| 6 | 0.5 | 1 | 1308 |


5W 246lm Ra:92

902 Module L 15



| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 1100 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 94.9° | | | |
| 1.5 | 81 | 171 | 297 |
| 2 | 46 | 96 | 396 |
| 4 | 11 | 24 | 791 |
| 4.5 | 9 | 19 | 890 |
| 6 | 5 | 11 | 1187 |


16W 983lm Ra:83

902 Module M 15





| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 1100 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 Module N 15




| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 1100 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 Module O 6 S





| | |
|----------------------|-------------------------|
| Power | 6W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 Module O 6 L





| | |
|----------------------|-------------------------|
| Power | 6W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 TUBE 38




- Power** 38W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC 24V
- Output Lumens** 2660 lm
- CRI** >80
- Material** Aluminum
- Color** Copper / White / Black
- Life** 50 000 H
- Warranty** 5 Years

DALI 902 Module F 5



- Power** 5W
- CCT** 3000K ● 4000K ● 6500K ○
- Voltage** DC 48V
- Output Lumens** 600 lm
- CRI** >90
- Material** Aluminum
- Color** Copper / White / Black
- Life** 50 000 H
- Warranty** 5 Years


LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVRE (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|-----------|---------------|---------------|
| 33.3° | | | |
| 1.5 | 423 | 628 | 90 |
| 2 | 238 | 353 | 119 |
| 4 | 59 | 88 | 239 |
| 4.5 | 47 | 70 | 269 |
| 6 | 26 | 39 | 358 |

7W 532lm Ra:96


DALI 902 Module L 15



| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 48V |
| Output Lumens | 1100 lm |
| CRI | >90 |
| Material | Aluminum+PS |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |





LED 3000K
CODE:AA8888888



| HEIGHT (m) | AVR E (lx) | CENTER E (lx) | DIAMETER (cm) |
|------------|------------|---------------|---------------|
| 1.5 | 81 | 171 | 297 |
| 2 | 46 | 96 | 396 |
| 4 | 11 | 24 | 791 |
| 4.5 | 9 | 19 | 890 |
| 6 | 5 | 11 | 1187 |


16W 983lm Ra:83

902 cable module A





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module A-2





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module B





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module B-2




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module C





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module C-2




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module D 4.5






| | |
|----------------------|-------------------------|
| Power | 4.5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 270 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module D 7.5




| | |
|----------------------|-------------------------|
| Power | 7.5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 450 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module E 4.5





| | |
|----------------------|-------------------------|
| Power | 4.5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 270 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module E 7.5





| | |
|----------------------|-------------------------|
| Power | 7.5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 450 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module E 15





| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 750 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module F




| | |
|----------------------|-------------------------|
| Power | 15W/M |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 750 lm/M |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module G




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module H




| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module I






| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module J





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 cable module L





| | |
|----------------------|-------------------------|
| Power | UP:1.5W + DOWN:4.5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 300 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 module P





| | |
|----------------------|-------------------------|
| Power | 5W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 module Q





| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | DC 24V |
| Output Lumens | 750 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

902 base 1500*1500






Power Max. 100W
Material Aluminum
Color Copper / White / Black

902 base 2000*800





Power Max. 100W
Material Aluminum
Color Copper / White / Black

902 line base 1500






Power Max. 60W
Material Aluminum
Color Copper / White / Black

902 line base 2000




Power Max. 60W
Material Aluminum
Color Copper / White / Black

902 cube base 800x800





Power Max. 100W
Material Aluminum
Color Copper / White / Black

902 cube base 1500x1500




Power Max. 100W
Material Aluminum
Color Copper / White / Black

902 cube pipe A 300




Material Aluminum
Color Copper / White / Black

902 cube pipe A 700





Material Aluminum
Color Copper / White / Black

902 cube pipe B 300




Material Aluminum
Color Copper / White / Black

902 Rectangle




Power Max. 100W
Material Aluminum
Color Copper / White / Black

DALI 902 Rectangle




Power Max. 100W
Material Aluminum
Color Copper / White / Black

902 chandelier





Power Max. 100W
Material Aluminum
Color Copper / White / Black

MD902 R 600





Power Max. 60W
Material Aluminum
Color Copper / White / Black

MD902 R 800





Power Max. 60W
Material Aluminum
Color Copper / White / Black

MD902 R 3 IN 1




Power Max. 350W
Material Aluminum
Color Copper / White / Black

MD902 R 1000+800




Power Max. 200W
Material Aluminum
Color Copper / White / Black

MD902 R 800+600




Power Max. 200W
Material Aluminum
Color Copper / White / Black

902 PIPE RING 600




Power Max. 60W
Material Aluminum
Color Copper / White / Black

902 PIPE RING 800





Power Max. 60W
Material Aluminum
Color Copper / White / Black

902 PIPE RING 1000




Power Max. 100W
Material Aluminum
Color Copper / White / Black

MD902 S 600




Power Max. 60W
Material Aluminum
Color Copper / White / Black

MD902 S 800




Power Max. 60W
Material Aluminum
Color Copper / White / Black

902 C Base C 300





Material Aluminum
Color Copper / White / Black

902 C Base C 700





Material Aluminum
Color Copper / White / Black

902 Track A 1000





Material Aluminum
Color Copper / White / Black

902 Track B 1000




Material Aluminum
Color Copper / White / Black

902 Track C 1000





Material Aluminum
Color Copper / White / Black

902 connector





Material Aluminum
Color Copper / White / Black

902 Pipe A 300




Material Aluminum
Color Copper / White / Black

902 Pipe A 700




Material Aluminum
Color Copper / White / Black

902 Pipe B 300 135





Material Aluminum
Color Copper / White / Black

902 Pipe B 300 246



Material Aluminum
Color Copper / White / Black

902 Pipe B 700 135




Material

Aluminum

Color

Copper / White / Black

902 Pipe B 700 246





Material

Aluminum

Color

Copper / White / Black

MD902 L 1000




Material

Aluminum

Color

Copper / White / Black

MD902 L 1200



Material



Aluminum

Color

Copper / White / Black

MD9028 L 1500

902 C Base C 700 902 Pipe B 700 135



Material



Aluminum

Color

Copper / White / Black

MD902 L 2000

902 C Base C 700 902 Pipe B 700 135



Material


Aluminum

Color

Copper / White / Black

MD902 L 2*1000

902 C Base C 300 902 Pipe A 300 902 Pipe B 300 246



Material


Aluminum

Color

Copper / White / Black

MD902 L 3*1000

902 C Base C 300 902 Pipe A 300 902 Pipe A 300 902 Pipe B 300 135






Material

Aluminum

Color



Copper / White / Black

MD902 L 4*1000





Material Aluminum
Color Copper / White / Black

902 Desk Base





Power Max. 18W
Material Aluminum
Color Copper / White / Black

902 Floor Base





Power Max. 20W
Material Aluminum
Color Copper / White / Black

MD902 R 600+ModuleA/B/C




| | |
|----------------------|-------------------------|
| Power | 30W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 1500 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 R 800+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 40W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 2000 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 S 600+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 30W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 1500 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 S 800+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 40W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 2000 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 L 1000+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 15W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 750 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 L 2*1000+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 30W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 1500 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 L 3*1000+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 45W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 2250 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 L 4*1000+ModuleA/B/C





| | |
|----------------------|-------------------------|
| Power | 60W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 3000 lm |
| CRI | >90 |
| Material | Aluminum |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 B-4





| | |
|----------------------|-------------------------|
| Power | 20W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 1000 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 B-6



| | |
|----------------------|-------------------------|
| Power | 30W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 1500 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |

MD902 B-8



| | |
|----------------------|-------------------------|
| Power | 40W |
| CCT | 3000K ● 4000K ● 6500K ○ |
| Voltage | AC 220-240V 50/60Hz |
| Output Lumens | 2000 lm |
| CRI | >90 |
| Material | Aluminum+Glass |
| Color | Copper / White / Black |
| Life | 50 000 H |
| Warranty | 5 Years |