2017-2018
NEW PRODUCT CATALOGUE

SELECTION GUIDE ● LED PENDANT LIGHT

45W Ø530*1200mm

55W Ø660*1200mm



45W Ø640*1200mm

46W Ø750*1200mm

45W Ø530*1200mm

22W Ø530*1200mm

75W Ø805*1200mm

20W 900*65*1200mm

35W 1450*65*1200mm

55W 870*540*1200mm

55W 900*470*1200mm

55W 870*540*1200mm

28W 870*275*1200mm

35W 870*360*1200mm

45W 870*450*1200mm

35W 1450*65*1200mm

40W 655*575*1200mm

28W 475*475*1200mm

35W 670*670*1200mm

46W 870*870*1200mm

65W 670*670*1200mm

80W 870*870*1200mm

110W 870*870*1200mm

45W 670*585*1200mm

70W 870*760*1200mm

85W 870*760*1200mm

192W Ø1700*2000MM

80W Ø1100*1500MM



48W Ø985*1200MM



96W 1635*1100*1500MM



96W Ø1700*1050MM

32W Ø860*1200MM

32W 655*535*1200MM



48W 1380*760*1200MM



48W Ø1100*1200MM

SELECTION GUIDE ● LED PENDANT LIGHT

25W 970*80*1200MM

35W 1338*80*1200MM

25W 870*700*1200mm

30W 770*480*1200mm

30W 870*390*1200mm

110W ø560*1200mm



32W 1000*250*1200mm

80W ø830*1200mm

110W ø670*1200mm



32W 1250*70*1200mm



46W 1250*70*1200mm

76W ø620*1200mm

76W ø620*1200mm

85W ø620*1200mm



85W ø620*1200mm



55W 600*600*1200mm



80W 700*600*1200mm

46W ø600*1200mm

65W ø800*1200mm



85W ø800*1200mm

46W 670*300*1200mm

65W 860*400*1200mm

85W 860*400*1200mm

SELECTION GUIDE ● LED PENDANT LIGHT

80W ø620*1200mm

55W ø650*1200mm

60W ø650*1200mm

90W 1160*440*1200mm

115W ø630*1200mm



27W 1270*60*1200mm

55W 1250*95*1200mm

55W ø620*1200mm

80W ø780*1200mm

62W 520*406*1200mm

82W 520*406*1200mm

46W ø520*600mm

27W 1350*60*1200mm

40W 1000*80*1200mm



40W 1200*90*1200mm



65W 1000*255*1200mm



80W 1000*255*1200mm



80W 1000*255*1200mm

36W 1400*330*1200mm

115W 2040*1075*1500mm

58W 1110*610*1500mm

42W 1080*330*1200mm

SELECTION GUIDE ● LED PENDANT LIGHT



80W
(680+480)*330*1200mm

110W
(880+680)*330*1200mm

140W

(880+680+480)*330*1200mm



60W
680*680*1200mm

80W 1000*1000*1200mm

28W Ø400*1200MM

38W Ø600*1200MM

46W Ø800*1200MM

65W Ø600*1200MM

85W Ø800*1200MM

65W 823*800*1200MM

85W 623*600*1200MM

115W Ø800*1200MM

24W Ø400*1200MM

46W Ø600*1200MM

80W Ø800*1200MM

40W Ø600*1200MM

70W Ø800*1200MM

40W Ø600*1200MM

70W Ø800*1200MM

28W Ø800*1200MM

60W Ø800*1200MM



40W Ø800*1200MM

70W Ø600*1200MM

121W Ø800*1200MM



18W Ø370*1200MM

54W Ø570*1200MM

108W Ø770*1200MM

50W Ø800*1200MM

71W Ø600*1200MM

121W Ø800*1200MM

SELECTION GUIDE ● LED CEILING LIGHT



20W 1100*675*80mm

20W 860*450*120mm

40W 1190*990*120mm



28W 770*490*130mm

45W 770*740*130mm

70W 990*740*130mm

30W 770*480*340mm

30W 870*390*560mm

110W ø560*370mm

80W ø830*500mm

86W ø720*350mm

55W 1000*300*200mm

70W ø800*200mm

46W 740*500*130mm

80W 730*650*280mm

100W 730*790*280mm

66W 800*400*160mm



110W 800*800*160mm

86W ø730*350mm

80W ø640*400mm

55W ø650*250mm

60W ø650*250mm

46W 890*380*65mm



92W 660*660*65mm

55W 675*465*100mm

93W 945*675*120mm

55W 1270*100*60mm

54W 686*686*112mm

SELECTION GUIDE ● LED CEILING LIGHT



115W 836*836*112mm

160W 1200*1200*112mm

24W Ø400*100MM

46W Ø600*100MM

80W Ø800*100MM

40W Ø600*100MM

70W Ø600*100MM

40W Ø600*100MM

70W Ø600*100MM



28W Ø400*100MM

60W Ø600*100MM

40W 1090*210*100MM

55W 800*400*100MM



55W 750*390*300mm

90W 600*600*510mm

35W 390*390*300mm

55W 600*600*300mm

SELECTION GUIDE ● LED WALL LAMP

8W 500*130*50mm

7W 550*95*60mm

7W 470*120*700mm

10W 610*120*70mm

14W 870*120*70mm

16W 500*248*100MM

8W 530*590*80mm

12W 685*605*80mm

12W 150*80*360mm

20W 150*80*650mm

12W 420*220*100mm

14W 190*610*60mm

14W 630*85*50mm

27W ø415*80mm

20W ø310*80mm

20W 420*310*57mm

7W 350*75*35mm

12W 675*75*35mm

19W 1005*75*35mm

28W 1350*75*35mm

19W 700*340*35mm

12W 370*340*35mm

19W 730*370*35mm

12W 400*370*35mm

14W 325*150*116mm



3W 160*160*50MM



55W 1360*1360*110mm

32W 900*900*110mm

62W 1350*1600*110mm

40W 900*1100*110mm



75W 1500*2000*110mm

52W 1000*1400*110mm

12W 346*300*100mm

SELECTION GUIDE ● LED WALL LAMP



3W 100*100*77mm

6W 100*100*77mm

12W 100*100*77mm

5W 200*110mm

3W 100*100*80mm

SELECTION GUIDE ● LED TABLE LAMP

14W 520*400*320mm

8W 545*170*90mm

8W 450*180*100mm

8W 500*410*100mm

10W 510*380*150MM

4W 450*200*460mm

28W ø420*500mm

18W ø200*450mm

28W ø400*540mm

14W 140*80*405mm

14W 345*110*406mm

18W 293*150*305mm

18W ø220*570mm

14W 340*120*445mm

20W 310*165*400mm

SELECTION GUIDE ● LED TABLE LAMP

14W 1190*990*120mm

20W 590*300*1700mm

28W ø480*1400mm

40W ø280*1250mm

28W ø400*1500mm

70W ø440*1480mm

26W 665*180*1860mm

40W ø250*1400mm

27W 250*150*1715mm

26W 390*230*1470mm



Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

WANTED
REWARD
EXPLOITATION
MARVEL

Ø640*1200mm
Ø750*1200mm
Ø530*1200mm

Ø530*1200mm
Ø805*1200mm



900*65*1200mm

1450*65*1200mm

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

870*450*1200mm 870*540*1200mm 900*470*1200mm

Colour: WH BK CO

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



870*275*1200mm 870*360*1200mm 870*540*1200mm

Colour: WH BK CG BR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS



1450*65*1200mm

Colour: WH BK CG CU

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

655*575*1200mm
Colour: WH BK CO BR
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Colour: WH BK CO GR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

670*670*1200mm 870*870*1200mm 870*870*1200mm

Colour: WH BK CG BR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Colour: WH BK CO CU

Driver Certifications: CE RoHS E358140

Standard configuration driver: PHILIPS

Ø1700*2000MM 192W



Ø1100*1500MM 80W



Power: 192W/ 80W

Colour: WH BK SN CH GP RG

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø985*1200MM 48W

1635*1100*1500MM 96W

Ø1700*1050MM 96W

Power: 48W / 96W / 96W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø860*1200MM 32W

655*535*1200MM 32W

1380*760*1200MM 48W



Ø1100*1200MM 48W

Power: 32W / 32W / 48W / 48W

Colour: WH BK SN CH GR RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 25W / 35W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 25W

Colour: BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

770*480*1200mm

870*390*1200mm

Power: 30W / 30W

Colour: BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø560*1200mm

Power: 110W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

1000*250*1200mm

Power: 32W

Colour: WH BK SN CH GP GR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 80W/110W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power: 32W/46W/55W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 76W

Colour: WH BK SN CH GR OR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø620*1200mm



Power: 76W

Colour: WH BK SN CH GP GD

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø620*1200mm



Power: 85W
Colour: WH BK SN CH
Driver Certifications: CE RoHS E338140
Standard configuration driver: PHILIPS

Ø620*1200mm



Power: 85W

Colour: WH BK SN CH PB RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

600*600*1200mm 700*600*1200mm

Power: 55W/80W

Colour:

Driver Certifications:

Standard configuration driver: PHILIPS

Power: 46W/65W/85W

Colour: WH BK SN GD

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 46W/65W/85W

Colour: WH BK SN CH GD

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø620*1200mm

Power: 80W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E328740

Standard configuration driver: PHILIPS

Power: 55W/60W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS



Power: 90W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø630*1200mm

Power: 115W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 27W/55W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS





Power: 55W/80W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 62W/82W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 46W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



1350*60*1200mm

1000*80*1200mm



1200*90*1200mm

Power:	27W / 40W / 40W
Colour:	WH BK SN CH
Driver Certifications:	CE RoHS
Standard configuration driver:	PHILIPS





1000*255*1200mm



1000*255*1200mm



1000*255*1200mm

Power: 65W / 80W / 80W /

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 36W

Colour: WH BK SN CH GR

Driver Certifications: CE RoHS E328140

Standard configuration driver: PHILIPS

Angular module:

Cross-shaped joints

L-shaped joints



2040*1075*1500mm
1110*610*1500mm

Power: 115W / 58W

Colour:

Driver Certifications:

Standard configuration driver: PHILIPS

1080*330*1200mm

(680+480)*330*1200mm
(880+680)*330*1200mm

(880+680+480)*330*1200mm

Power: 42W / (80W /110W) / 140W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

680*680*1200mm
1000*1000*1200mm

Power: 60W / 80W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power:

Colour:

Driver Certifications:

Standard configuration driver: PHILIPS

Power: 28W / 38W / 46W

Colour:

Certifications: CE RoHS

Ø600*1200MM

Ø800*1200MM

Power: 65W / 85W

Colour:

Certifications: CE RoHS

Power: 65W / 85W

Colour:

Certifications: CE RoHS

Ø800*1200MM

Power: 115W

Colour:

Certifications: CE RoHS

Power: 24W/45W / 80W

Colour: WH BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power:	40W / 70W
Colour:	WH BK
Driver Certifications:	CE RoHS
Standard configuration driver:	PHILIPS



Power:	40W / 70W
Colour:	WH BK
Driver Certifications:	CE RoHS
Standard configuration driver:	PHILIPS

400*400*1200MM

600*600*1200MM

1090*210*1200MM

Power: 28W / 60W / 40W
Colour: WH BK
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Power: 70W / 121W

Colour: WH BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power: 18W / 54W / 108W
Colour: WH BK
Driver Certifications: CE RoHS E338140
Standard configuration driver: PHILIPS

Power: 50W / 71W / 121W

Colour: WH BK

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS



1100*675*80mm

1190*990*120mm

860*450*120mm

Colour: WH BK CO BR

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS





Colour: WH BK CO BR

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 30W / 30W

Colour: BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø560*370mm

Power: 110W

Colour: WH BK SN PCH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 80W/86W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

1000*300*200mm



Power: 55W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø800*200mm



Power: 70W

Colour: WH BK SN CH GP RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power: 46W/80W/100W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 110W

Colour: WH BK SN CH GM GD

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 66W

Colour: WH BK SN CH GM GD

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø730*350mm

Power: 86W

Colour: WH BK SN CH PB RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Ø640*400mm



Power: 80W

Colour: WH BK SN CH GM RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS





Power: 55W/60W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

890*380*65mm

660*660*65mm

Power: 46W/92W

Colour: WH BK SN CH RG

Driver Certifications: CE RoHS E328140

Standard configuration driver: PHILIPS



Power: 55W/93W

Colour: WH BK SN CH GP RG

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 55W
Colour: WH BK SN CH GY OR
Driver Certifications: CE RoHS E328140
Standard configuration driver: PHILIPS

Power: 54W / 115W / 160W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power: 24W / 46W / 80W

Colour: WH BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 40W / 70W
Colour: WH BK
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS





Power: 40W / 70W
Colour: WH BK
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS



Power: 28W / 60W / 55W / 40W

Colour: WH BK

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS



Power: 35W / 55W / 90W
Colour:
Certifications: CE RoHS



Power: 55W
Colour:
Certifications: CE RoHS



500*130*50mm

Colour: MF BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS





550*95*60mm 470*120*70mm 610*120*70mm 870*120*70mm

Colour: WH BK CO SP

Driver Certifications: CE RoHS E358140

Standard configuration driver: PHILIPS

500*248*100MM 16W

Model: MBF8990A

Power: 16W

Colour: WH BK SN BH GR

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 12W/8W

Colour: BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

150*80*360mm 150*80*650mm



Power: 12W/20W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

420*220*96mm

Power: 12W

Colour: WH BK SN CH GR RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

190*610*60mm

Power: 14W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

630*85*50mm

Power: 14W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø415*80mm

Ø310*80mm

Power: 27W/20W

Colour:

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

420*310*57mm



Power: 20W

Colour: WH BK SN CH GM RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Power: 7W / 12W / 19W / 28W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

700*340*35MM 370*340*35MM 730*370*35MM 400*370*35MM

325*150*116mm

Power: 14W

Colour:

Certifications: CE RoHS

A variety of Mosaic Install



Size:160*160*50mm

Power: 3W

Colour: ○ ●

Certifications: CE RoHS



Power: 5*3W

Colour: ○ ●

Certifications: CE RoHS

Power: 4*3W

Colour:

Certifications: CE RoHS





Various sizes can transform a variety of shapes

Power: 32W Size: 900*900mm	Power: 40W Size: 900*1100mm	Power: 42W Size: 1000*1400mm
Model: MBF6680-L-3 Power: 55W Size: 1360*1360mm	Model: MBF6680-L-4 Power: 62W Size: 1350*1600mm	Model: MBF6680-L-5 Power: 75W Size: 1500*2000mm

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

346*300*100mm

Power: 12W

Colour: WH BK SN CH GR OR

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 3W / 6W / 12W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 5W

Colour: WH BK SN PCH GM RG

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 3W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS



520*400*320mm
Colour: WH BK SN CH RG
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Colour: WH BK CO SP
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Colour: WH BK CO SP
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

510*380*150mm 10W



Power: 10W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

450*200*460mm



Power: 4W
Colour: BK
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Ø420*500mm

Power: 28W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø200*450mm
Power: 18W
Colour:
Driver Certifications:
Standard configuration driver: PHILIPS

Ø400*540mm

Power: 28W

Colour:

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 14W
Colour: WH BK SN CH
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS

Power: 14W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

293*150*305mm

Power: 18W

Colour: WH BK SN CH GP RG

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Ø220*570mm

Power: 18W

Colour: WH BK SN CH GP RG

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

340*120*445mm

Power: 14W

Colour: WH BK SN CH PG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

310*165*400mm



Power: 20W

Colour:

Certifications: CE RoHS





1470*250*150mm

Colour: WH BK CC SR

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

590*300*1700mm



Power: 20W

Colour: BK

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 28W

Colour: WH BK SN CH PB PC

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 40W

Colour: WH BK SN CH

Driver Certifications: CE RoHS E338140

Standard configuration driver: PHILIPS

Power: 28W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Ø440*1480mm

Power: 70W

Colour: WH BK SN CH

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

Power: 26W

Colour: WH BK SN CH RG

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS



Ø250*1400mm

Power: 40W

Colour: WH BK SN CH PB NC

Driver Certifications: CE RoHS

Standard configuration driver: PHILIPS

250*150*1715mm

Power: 27W
Colour: WH BK
Driver Certifications: CE RoHS
Standard configuration driver: PHILIPS



Power: 26W

Colour:

Certifications: CE RoHS