



FLEXIBLE CABLE SYSTEM
0114 series









ABOUT CREATIVE

0114 series is a new way of thinking about light: it combines the lightness of a cable system with the functionality of a track. Thanks to its flexibility it is easily transportable and can be cut to size. The simplicity of the system translates into installation speed.


0114 series can be mounted on a wall, ceiling or wall to ceiling.

0114 series is a DC24V system developed for both direct and indirect lighting. It integrates 2 external conductors that allow you to reposition the sources with a simple gesture, where you want and countless times, without cutting the cable.

The system can mount different sources using an innovative conveyed wave technology for the control and dimming of the LED circuit.



Track view:





STRETCHING THE EYES BEYOND A NEW HORIZON.

0114 series is a flexible cable system that integrate itself into the lighting project to respond to the multiple demands of architecture.

Internally, it includes 2 steel tensioning cables that allow you to make stretches up to 10 m in length. The internal pin system of the connections, allows to rotate the cable horizontally at 180°. Infinite positions for unlimited uses. The system is equipped with indirect light sources and direct light spot sources.


0114 series is electrified at DC24V to overcome voltage drop limit.






FAST INSTALLATION

The quick coupling device, combined with the exposed conductors, allows easy installation and repositioning of the source without the need for tools.



0114 series can be installed with wall or ceiling attachment. The ceiling spacer allows you to make the most of the indirect light of the optional LED strip. The tensioning system rotates 180° allowing multiple installation possibilities.



0114 Base S



0114 Base L



0114 Base L2






FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

Aluminum lamp body
IP20
CRI>90
Anti glare design
DC24V
50 000 hours life
5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module A 7W	7W	560 lm	Black	3000K / 4000K/6500K	15°/24°/36°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

Aluminum lamp body
IP20
CRI>90
DC24V
50 000 hours life
5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module B 7W	7W	560 lm	Black	3000K / 4000K/6500K	120°

FLEXIBLE CABLE SYSTEM
0114 series




FEATURE

- Aluminum lamp body
- IP20
- CRI>90
- Anti glare design
- DC24V
- 50 000 hours life
- 5 years warranty



0114 module C 7W



0114 module C 12W

SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module C 7W	7W	560 lm	Black	3000K / 4000K/6500K	15°-36°
0114 module C 12W	12W	960 lm	Black	3000K / 4000K/6500K	15°-36°

FLEXIBLE CABLE SYSTEM
0114 series




FEATURE

- Aluminum lamp body
- IP20
- CRI>90
- Anti glare design
- DC24V
- 50 000 hours life
- 5 years warranty



0114 module D 7W



0114 module D 12W

SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module D 7W	7W	560 lm	Black	3000K / 4000K/6500K	15°-36°
0114 module D 12W	12W	960 lm	Black	3000K / 4000K/6500K	15°-36°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

- Aluminum lamp body
- IP20
- CRI>90
- Anti glare design
- DC24V
- 50 000 hours life
- 5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module E 7W	7W	560 lm	Black	3000K / 4000K/6500K	15°/24°/36°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

- Aluminum lamp body
- IP20
- CRI>90
- Anti glare design
- DC24V
- 50 000 hours life
- 5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module F 5W	5W	400 lm	Black	3000K / 4000K/6500K	17°/24°/36°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

- Aluminum lamp body
- IP20
- CRI>90
- Anti glare design
- DC24V
- 50 000 hours life
- 5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module G 5W	5W	400 lm	Black	3000K / 4000K/6500K	17°/24°/36°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

Aluminum lamp body
IP20
CRI>90
DC24V
50 000 hours life
5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module H 15W	15W	1200 lm	Black	3000K / 4000K/6500K	120°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

- Silicone body
- IP20
- CRI>90
- DC24V
- 50 000 hours life
- 5 years warranty



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module I A 15W	15W	1200 lm	Black	3000K / 4000K/6500K	360°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

Silicone body
IP20
CRI>90
DC24V
50 000 hours life
5 years warranty



L:1000 / L:2000

SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module I 15W	15W	1200 lm	Black	3000K / 4000K/6500K	360°
0114 module I 30W	30W	3200 lm	Black	3000K / 4000K/6500K	360°

FLEXIBLE CABLE SYSTEM
0114 series



FEATURE

- Silicone body
- IP20
- CRI>90
- DC24V
- 50 000 hours life
- 5 years warranty



SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
0114 module I 45W	45W	3600 lm	Black	3000K / 4000K/6500K	360°

FLEXIBLE CABLE SYSTEM
0114 series




0114 track

Material	PC
Color	Black
Length	Max.10m




LED strip

Power	15W/m
Beam angle	120°
CCT	3000K / 4000K / 6500K
Color	White




0114 base S

Material	Aluminum
Color	Black




0114 base L

Material	Aluminum
Color	Black



0114 base S2


Material	Aluminum
Color	Black



0114 base L2


Material	Aluminum
Color	Black

FLEXIBLE CABLE SYSTEM
0114 series



0114 central power feed

Material Aluminum
Color Black



0114 power 150w

Power 150W
Color Black

