

Precious and bright, noble and bright, Deduce extraordinary lighting aesthetics, create a new height in the industry

From the moment was born, **aip** is dedicated to designing/developing/manufacturing modern lighting with advance LED tech, over the years, we has offered so much more than just distinctively beautiful lighting. We' ve also backed each style with award-winning craftsmanship, unparalleled quality and superior service.

aip Lighting offers a distinctive array of lighting solutions that reflect your individual personality, tastes and plans. We believe that lighting should exceed functionality and transform your spaces into stunning, inspiring settings. Lighting that energizes, as well as enhances your life.

aip brings you an unparalleled variety of exciting style families, unique finishes, fresh colors and unequaled quality.

As a professional lighting manufacturer, OEM/ODM service is our strategy.



Our Partner

LED and Driver Supplier

CREE 

OSRAM

PHILIPS

EPISTAR


TRIDONIC

MW
MEAN WELL


EAGLERISE
伊戈尔



LIFUD
莱福德

7700 Series
Pendant Light & Wall Light



7700 Series
-7700 Line B
3





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Line B 3	3W	180LM	White/Black/Gold	3000K/4000K/6000K	15° /27° /60°

SPECIAL CHARACTERISTICS

Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal manage-ment	IP 20
RoHS Certification	Efficient Spherulit techno-logy	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7700 Series
-7700 Line B
6





Light type



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Line B 6	6W	360LM	White/Black/Gold	3000K/4000K/6000K	15° /27° /60°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7700 Series
-7700 Line B
9






SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Line B 9	9W	540LM	White/Black/Gold	3000K/4000K/6000K	15° /27° /60°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7700 Series
-7700 Pendant
20





SPECIFICATION



Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Pendant 20	20W	1200LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal management	IP 20
RoHS Certification	Efficient Spherulit technology	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7700 Series
-7700 Line A
20





SPECIFICATION




Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Line A20	20W	1200LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7700 Series
-7700 Line A
30





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Line A30	30W	1800LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal manage-ment	IP 20
RoHS Certification	Efficient Spherulit techno-logy	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7700 Series
-7700 Chandelier B
36





SPECIFICATION



Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Chandlier B 36	36W	2160LM	White/Black/Gold	3000K/4000K/6000K	60° + 120°

SPECIAL CHARACTERISTICS


Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal manage-ment	IP 20
RoHS Certification	Efficient Spherulit techno-logy	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7700 Series
-7700 Chandelier A
35





Light type




SPECIFICATION




Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Chandlier A35	35W	2100LM	White/Black/Gold	3000K/4000K/6000K	60° + 120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7700 Series
-7700 Chandelier B
55





Light type



SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700 Chandelier B 55	55W	3300LM	White/Black/Gold	3000K/4000K/6000K	120°


SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	


7700 Series
-7700 A Wall 600S/L
-7700 A Wavoll
900S/L -7700 A Wall
1200S/L








9081A Wall 600S




9081A Wall 900S



9081A Wall 1200S









Light type




SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7700A Wall 600S	10W	600LM	White/Black/Gold	3000K/4000K/6000K	120°
7700A Wall 900S	15W	900LM	White/Black/Gold	3000K/4000K/6000K	120°
7700A Wall 1200S	20W	1200LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS






9081A Wall 600L



9081A Wall 900L



9081A Wall 1200L

Light type



SPECIFICATION



Item No.	Power	Lumens	Color	CCT	Beam Angle
9081A Wall 600L	10W	600LM	White/Black/Gold	3000K/4000K/6000K	120°
9081A Wall 900L	15W	900LM	White/Black/Gold	3000K/4000K/6000K	120°
9081A Wall 1200L	20W	1200LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS


 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Various housing colors		

7700 Series
-7700 B/C Wall
600 -7700 B/C
Wall 900 -7700 B
Wall 1200






9081B Wall 600



9081B Wall 900



9081B Wall 1200

Light type





SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7700B Wall 600	10W	600LM	White/Black/Gold	3000K/4000K/6000K	120°
7700B Wall 900	15W	900LM	White/Black/Gold	3000K/4000K/6000K	120°
7700B Wall 1200	20W	1200LM	White/Black/Gold	3000K/4000K/6000K	120°


SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable Angle	 Various housing colors	






9081C Wall 600



9081C Wall 900



SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7700C Wall 600	10W	600LM	White/Black/Gold	3000K/4000K/6000K	120°
7700C Wall 900	15W	900LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV

 RoHS Certification

 Class 1

 High-power LEDs/
chip-on-Board LED

 Efficient Spherulit
techno-logy

 Adjustable Angle

 Excellent thermal
manage-ment


 EMC-optimised

 Various housing colors

 IP 20




 Different light colors

7701 & 7702
Series Pendant
Light



7701 Series
-7701 A DOWN
400 -7701 A
DOWN 600 -7701
A DOWN 800













SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7701ADOWN 400	24W	1440LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701ADOWN 600	30W	1800LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701ADOWN 800	40W	2400LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS



7701 Series
-7701 A DOWN
600+400 -7701 A
DOWN 800+600





SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7701ADOWN 600+400	55W	3300LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701ADOWN 800+600	70W	4200LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS



Powered by TUV



High-power LEDs/
chip-on-Board LED



Excellent thermal
management



IP 20



RoHS Certification



Efficient Spherolit
technology



EMC-optimised



Different light colors



Class 1



Adjustable height



Various housing colors



7701 Series



-7701 B DOWN 400

-7701 B DOWN 600

-7701 B DOWN 800

-7701 B DOWN

1000



SPECIFICATION







Item No.	Power	Lumens	Color	CCT	Beam Angle
7701B DOWN 400	24W	1440LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701B DOWN 600	30W	1800LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701B DOWN 800	40W	2400LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°
7701B DOWN 1000	48W	2880LM	White/Black/Gold/Brushed Grey	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal management	 IP 20
 RoHS Certification	 Efficient Spherolit technology	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7701 Series
-7701 C DOWN
400 -7701 C
DOWN 600 -7701
C DOWN 800





SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7701C DOWN 400	24W	1440LM	White/Black/Gold	3000K/4000K/6000K	120°
7701C DOWN 600	30W	1800LM	White/Black/Gold	3000K/4000K/6000K	120°
7701C DOWN 800	40W	2400LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS



Powered by TUV



High-power LEDs/
chip-on-Board LED



Excellent thermal
manage-ment



IP 20



RoHS Certification



Efficient Spherolit
techno-logy



EMC-optimised



Different light colors



Class 1



Adjustable height







Various housing colors



7701 Series
-7701 C DOWN
600+400 -7701 C
DOWN 800+600











SPECIFICATION



Item No.	Power	Lumens	Color	CCT	Beam Angle
7701C DOWN 600+400	55W	3300LM	White/Black/Gold	3000K/4000K/6000K	120°
7701C DOWN 800+600	70W	4200LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS



7701 Series
-7701 C DOWN
800+600+400





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7701C DOWN 800+600+400	95W	5700LM	White/Black/Gold	3000K/4000K/6000K	120°
					120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal management	 IP 20
 RoHS Certification	 Efficient Spherolit technology	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7702 Series
-7702 A DOWN
AS600 -7702 A
DOWN AS800





SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7702ADOWNAS600	40W	2400LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°
7702ADOWNAS800	50W	3000LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°

SPECIAL CHARACTERISTICS



Powered by TUV



High-power LEDs/
chip-on-Board LED



Excellent thermal
manage-ment



IP 20



RoHS Certification



Efficient Spherolit
techno-logy



EMC-optimised



Different light colors



Class 1





Adjustable height



Various housing colors

7702 Series
-7702 A DOWN
S600 -7702 A
DOWN S800





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7702ADOWN S600	50W	3000LM	White/Black/ Gold	3000K/4000K/6000K	120° + 24°
7702ADOWN S800	60W	3600LM	White/Black/ Gold	3000K/4000K/6000K	120° + 24°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal management	 IP 20
 RoHS Certification	 Efficient Spherolit technology	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7702 Series
-7702 C DOWN
AS600 -7702 C
DOWN AS800






SPECIFICATION





Item No.	Power	Lumens	Color	CCT	Beam Angle
7702C DOWN AS600	40W	2400LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°
7702C DOWN AS800	50W	3000LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°

SPECIAL CHARACTERISTICS

Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal management	IP 20
RoHS Certification	Efficient Spherolit technology	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7702 Series
-7702 C DOWN
S600 -7702 C
DOWN S800






SPECIFICATION

Item No.	Power	Lumens	Color	CCT	Beam Angle
7702C DOWN S600	50W	3000LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°
7702C DOWN S800	60W	3600LM	White/Black/Gold	3000K/4000K/6000K	120° + 24°

SPECIAL CHARACTERISTICS



Powered by TUV	High-power LEDs/ chip-on-Board LED	Excellent thermal management	IP 20
RoHS Certification	Efficient Spherolit technology	EMC-optimised	Different light colors
Class 1	Adjustable height	Various housing colors	

7705 Series
Pendant Light



7705 Series
-7705 Pendant
400





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 400	24W	1680LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7705 Series
-7705 Pendant
600





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 600	36W	2520LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimized	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7705 Series
-7705 Pendant
800





SPECIFICATION



Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 800	48W	3360LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7705 Series
-7705 Pendant
1000





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 1000	55W	3850LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7705 Series
-7705 Pendant
1200





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 1200	70W	4900LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherulit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7705 Series
-7705 Pendant
1500





SPECIFICATION


Item No.	Power	Lumens	Color	CCT	Beam Angle
7705 pendant 1500	80W	5600LM	White/Black/Gold	3000K/4000K/6000K	120°

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimized	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

7708 Series

Ceiling Light&Pendant Light&Recess Downlight



LED Modern Light

9608 Series



Color



Freecustomize



free custom size can fit any interior decoration, to provide sufficient illumination




 Surface



 Suspended

3 kinds of installation methods


9608 series is a classic circular design with four mounting options that can be used in any environment



 Recessed



- A new generation of rapid installation



- Quick installation chassis






7708
Series
-MC7708








7708
Series
-MD7708














7708
Series
-MR7708



- A new generation of rapid installation





- Recessed Fixture








MC7708-400




Power	24W/36W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	1800 lm/2700 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years

MC7708-600





Power	40W/60W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	3200 lm/4800 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years

MC7708-800




Power	80W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	6400 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years

MC7708-1000



Power	120W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	9600 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years


MD7708-400



Power	24W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	180
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years




MD7708-600



Power	40W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	320
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years





MD7708-800



Power	80W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	6400 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years





MD7708-1000



Power	120W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	9600 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years





MD7708-1200



Power	145W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	11600 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years





MR7708-400



Power	24W/36W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	1800 lm/2700 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years






MR7708-600



Power	40W/60W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	3200 lm/4800 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years



MR7708-800



Power	80W
CCT	3000K ● 4000K ● 6500K ○
Voltage	AC 220-240V 50-60Hz
Output Lumens	6400 lm
CRI	>80
Material	Aluminum
Color	White / Black
Life	30 000 H
Warranty	3 Years



5491
Series
-5491-A

5491 Series Pendant Light







H150mm

D450/600/750mm

SPECIFICATION

Item No.	Power	Lumens	Color	CCT
0211-A-450	20W	1000LM	White/Black/Gold	300K/4000K/6000K
0211-A-600	40W	2000LM	White/Black/Gold	300K/4000K/6000K
0211-A-750	60W	3000LM	White/Black/Gold	300K/4000K/6000K

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

5491
Series

-5491-B



HALO OF CRONUS

CUPID'S COLORFUL CLOUD NECKLA
KEEP WATCH AND NEVER SEPARATE









SPECIFICATION

Item No.	Power	Lumens	Color	CCT
0211-B-200	10W	500LM	White/Black/Gold	300K/4000K/6000K
0211-B-350	20W	1000LM	White/Black/Gold	300K/4000K/6000K
0211-B-500	30W	1500LM	White/Black/Gold	300K/4000K/6000K

SPECIAL CHARACTERISTICS

 Powered by TUV	 High-power LEDs/ chip-on-Board LED	 Excellent thermal manage-ment	 IP 20
 RoHS Certification	 Efficient Spherolit techno-logy	 EMC-optimised	 Different light colors
 Class 1	 Adjustable height	 Various housing colors	

5492
Series Wall
Light

0212 series





5492
Series


-5492-B



THE BREATH OF LIFE / AND / RATIONAL THINKING / RATIONA




5492
Series
-5492-A



THE BREATH OF LIFE / AND / RATIONAL THINKING / RATIONA



THE BREATH OF LIFE / AND / RATIONAL THINKING / RATIONAL



Thank you!

aip Lighting Technology Co.,Ltd.

Address:No.47,Dongfang Road,GuzhenTown,Zhongshan,Guangdong,528421,China

Phone:86 13437385967 | Whatsapp:86 134 3738 5967 | Wechat:134 3738 5967

Jennifer | Jennifer@aip.com | www.aip.com