




Modular Decorative Lighting System

Safe low pressure
Free creative installation
Quick and easy replacement
A variety of lamps to choose from

LIGHT MODULES

Module A 5



5W
CRI>90

Module B 5



5W
CRI>90

Module C 5



5W
CRI>90
Flicker free

Module D 5



38W
CRI>90

Module E 5



5W
CRI>90

Module F 5



5W
CRI>90

Module G 15



15W
CRI>90

Module H 5



5W
CRI>90

Module I 8



8W
CRI>90

Module J 5



5W
CRI>90

Module K 6



6W
CRI>90

Module L 15




15W
CRI>90

Module M 5



5W
CRI>90

Module N 15



15W
CRI>90

TUBE 38



38W
CRI>90






Cube

Module F 5



cube base 1500x1500



cube pipe A 700




cube pipe A 300




cube pipe B 300




Installation exploded view




Ⓐ Module H 5 quick installation




Ⓑ cube pipe B 300 Upper mounting method




Ⓒ cube pipe A and 9080 cube pipe B 300 Lower installation method



Ⓓ Bottom cover rubber plug installation








TUBE 38

Adjustable rotate and move






Module C 5




TUBE 38



line 2000









Line



Module B 5



line 2000















CLIP L

Module F 5




MD L 4*1000













Ceiling

Module F 5




Ceiling 1000











Ring

Module A 5




MD R 800





Product information

Module A 5




25°



38°







Power 5W

CCT 3000K  4000K  6500K 

Voltage DC 24V

Output Lumens 300 lm

CRI >80

Material Aluminum+Glass

Color Copper / White / Black


Life 30 000 H

Warranty 3 Years



25°

LED 3000K
CODE:AA8888888



INTENSITY (cd)


HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
27.2°			
1.5	364	519	73
2	205	292	97
4	51	73	194
4.5	40	58	218
6	23	32	290

7W 534lm Ra:97



38°

LED 3000K
CODE:AA8888888



INTENSITY (cd)

HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
39°			
1.5	237	359	106
2	134	202	141
4	33	50	283
4.5	26	40	318
6	15	22	424


7W 500lm Ra:96

Module B 5



120°







Power 5W

CCT 3000K  4000K  6500K 

Voltage DC 24V

Output Lumens 300 lm

CRI >80

Material Aluminum+PMMA

Color Copper / White / Black


Life 30 000 H

Warranty 3 Years



120°

LED 3000K
CODE:AA8888888





INTENSITY (cd)

HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
101°			
1.5	7	18	364
2	4	10	485
4	1	2.5	971
4.5	0.8	2	1092
6	0.4	1.1	1456


5W 105lm Ra:95

Product information

Module C 5





Power	5W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
33.3°			
1.5	423	628	90
2	238	353	119
4	59	88	239
4.5	47	70	269
6	26	39	358

7W 532lm Ra:96


Module D 5



Power	5W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years

Product information

Module E 5




Power	5W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years



120°




120°
LED 3000K
CODE:AA8888888



HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	4	15	411
2	2	8	549
4	0,6	2	1097
4,5	0,4	1,6	1234
6	0,3	0,9	1646

5W 97lm Ra:91

Module F 5




Power	5W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years



120°



120°
LED 3000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
1.5	4	15	411
2	2	8	549
4	0,6	2	1097
4,5	0,4	1,6	1234
6	0,3	0,9	1646

5W 97lm Ra:91

Product information

Module G 15



Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	900 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years




120°



120°

● LED 3000K
CODE:AA8888888

Module H 5



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	350 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years




120°



120°

● LED 3000K
CODE:AA8888888




HEIGHT (m)	AVR E (lx)	CENTER E (lx)	DIAMETER (cm)
107,8°			
1.5	4	15	411
2	2	8	549
4	0,6	2	1097
4,5	0,4	1,6	1234
6	0,3	0,9	1646

5W 97lm Ra:91


Product information

Module I 8



Power	8W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	560 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years


Module J 5



Power	5W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	350 lm
CRI	>80
Material	Aluminum+Glass
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years


Product information

Module K 6



Power	6W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years


Module L 15



Power	15W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	900 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years


Product information

Module M 5



Power	5W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years

Module N 15



Power	15W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	900 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years


Product information

TUBE 38





120°





Power

CCT

Voltage

Output Lumens

CRI

Material

Color

Life

Warranty

38W

3000K  4000K  6500K 

DC 24V

2660 lm

>80

Aluminum

Copper / White / Black



30 000 H

3 Years

165




Product information

cube base 800x800




Power	Max. 100W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

cube base 1500x1500





Power	Max. 100W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

cube pipe A 300



Material	Aluminum
Color	Copper / White / Black


cube pipe A 700



Material	Aluminum
Color	Copper / White / Black

Product information

cube pipe B 300





Material

Aluminum

Color

Copper / White / Black

line 1000



Power

Max. 60W

Material

Aluminum



Color

Copper / White / Black

Remark

Power supply Driver inside

line 1500



Power

Max. 60W

Material

Aluminum



Color

Copper / White / Black

Remark

Power supply Driver inside

line 2000



Power

Max. 100W

Material

Aluminum

Color


Copper / White / Black

Remark

Power supply Driver inside



Product information

MD R 600





Power	Max. 60W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

MD R 800




Power	Max. 60W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

MD L 2*1000



Power	Max. 60W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

MD L 3*1000




Power	Max. 60W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

Product information

MD L 4*1000







Power Max. 100W


Material Aluminum

Color Copper / White / Black

Remark Power supply Driver inside

MD L 5*1000








Power Max. 100W


Material Aluminum

Color Copper / White / Black

Remark Power supply Driver inside

Ceiling 800








Power Max. 120W


Material Aluminum

Color Copper / White / Black

Remark Power supply Driver inside

Ceiling 1000







Power Max. 120W

Material Aluminum

Color Copper / White / Black


Remark Power supply Driver inside






DESIGN

WALL series is simple and stylish.
The shape can be swung freely and can
be matched with a variety of different
lamps.









Product information

Module G 15





Power	15W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	900 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5Years

Module K 6



Power	6W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	300 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5 Years


WALL BASE



Power	Max. 120W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside



Product information

Module K 3




Power	3W
CCT	3000K ● 4000K ● 6500K ○
Voltage	DC 24V
Output Lumens	150 lm
CRI	>90
Material	Aluminum
Color	Copper / White / Black
Life	50 000 H
Warranty	5Years

WALL MINI BASE



Power	Max. 120W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

WALL LINE



TUBE 38





WALL LINE POWER BASE



WALL LINE BASE


Product information

TUBE 38




Power	38W
CCT	3000K 4000K 6500K
Voltage	DC 24V
Output Lumens	2660 lm
CRI	>80
Material	Aluminum
Color	Copper / White / Black
Life	30 000 H
Warranty	3 Years

WALL LINE POWER BASE



Power	Max. 120W
Material	Aluminum
Color	Copper / White / Black
Remark	Power supply Driver inside

WALL LINE BASE



Material	Aluminum
Color	Copper / White / Black









